## SMILAX PSYLLIUM IMPEX CO.

Opp. Jaipur Dairy Collection Center, Chaksu, District Jaipur (Rajasthan) – INDIA FSSAI Lic No. – 12214027000695 US FDA Food Facility Reg. No. - 18309177476

Email: sales@smilaxgroup.net; Website: www.smilaxpsyllium.in

## **Certificate of Analysis**

Product Name: Psyllium Husk 98% (Sterilized) HTS No.: 1211.90.9220

**B. No:** 260319-SPI **A.R No.:** SPIR190302107

**Mfg. Date:** Mar. 2019 \***Exp. Date:** Feb. 2024

Receiving date: 16.03.2019 Approval date: 28.03.2019

Sr. No		Test	Specification	Result
1.	Description	on	Pale buff or light brown coloured free flowing flasks. Material swells rapidly in water, forming a stiff mucilage.	Complies
2.	Identifica	tion	Microscopic test shows presence of fragmented Psyllium powder.	Complies
3.	Foreign p	particles	NMT 2.0 % w/w.	1.12% w/w.
4.	Total ash		NMT 4.0 % w/w.	1.34 % w/w
5.	Acid inso	luble ash	NMT 0.45 % w/w.	0.18 % w/w
6.	Loss on o	drying/ Moisture	NMT 12.0 % w/w.	8.12 % w/w
7.	Swell Vol	ume	NLT 40 ml/ gm	60 ml/gm
8.	Light Ext	raneous Matter	NMT 2.0 % w/w	1.85 % w/w
9.	Purity		NLT 98.0%w/w	98.15 %w/w
Microbial Limits				
10.	Total aero	bic bacterial count	NMT 1000CFU/gm	<60cfu/gm
	Total yeas	st & mould count	NMT 100CFU/gm	<20cfu/gm
	Bile-tolera bacteria	nt Gram negative	Must be absent/gm	Absent
	Test for p	pathogens		
	E. coli		Must be absent/gm	Absent
	Salmonell	a species	Must be absent/10gm	Absent
	S. aureus		Must be absent/gm	Absent
	P.aerugin	osa	Must be absent/gm	Absent
	Shigella		Must be absent/10gm	Absent
11.	Particle size		a) NLT 55 % w/w should retained on 30 #	59.85 % w/w
			b) NMT 2.0 % w/w should pass through 70 # he sample referred to above complies/does not comply with	1.66 % w/w

**Remark**:-In the opinion of the under signed, the sample referred to above complies/does not comply with respect to prescribed specification.

**Storage condition:** Store in a well closed container or HDPE bags having lined polythene bag. Protect from moisture and the attack of insects and rodents.

Mand

Analysis by

Format Id: SPI/COA/01

Street

Checked by

Approved by

**Date-** 28.03.2019